



For 20 minutes from 2:00 pm on May 15th

Simultaneous nationwide civil defense training!

At 2:00 pm, an air-raid alert for training will be issued: the resident execuation and vehicle operations will be completely controlled




For 15 minutes from 2:00 pm,

people should move to the nearest Civil Defense Shelter and receive education in shelters or listen to the radio broadcast! vehicles should stop on the right in accordance with the instructions of the vehicle guide and listen to the radio broadcast!

At 2:15 pm, when a security alert is issued, residents can pass through while remaining vigilant!

At 2:20 pm, when the alert is lifted and the controls are released, please return to your normal activities!



Food, drinking water, household medicine, radio, flashlight, matches, candles, bedding, clothing


Items to prepare for chemical, biological, and radiological

damage: gas mask, mask, raincoat, gloves, and soap

Additional preparation items: child (name tag), adult

······

(ID card or photocopy)





Energency Instructions for People

Safely exactable when an air raid siren sounds or shells fall

(How to respond to an air raid warning

If you are in an apartment or high-rise building, use the emergency stairs instead of the elevator.

>>>>>>>>>>>>

While driving, stop on the right side of the road and evacuate to a nearby vacant lot.

How to evacuate in case of chemical weapons

Dangers of chemical weapons - Difficulty breathing, muscle spasms, vomiting, skin rash, etc.

Evacuation method - Protect your respiratory system and evacuate to a higher place.

Precautions - Be careful not to expose to contaminated air.

- Seal door gaps and stop using air conditioners and ventilators.
- Wash exposed skin with running water for at least 15 minutes.



Energency Instructions for People

Safely execuate when an air raid siren sounds or shells fall



Dangers of biological weapons - Abdominal pain, high fever, a sudden increase in patients of unknown cause, etc.

Evacuation method - Evacuate after protecting your respiratory system with a mask or handkerchief.


Precautions - Avoid contact with contaminants and patients, Consultation at the vaccination department, Eat food after cooking for at least 15 minutes.

How to deal with a "nuclear attack"

If a nuclear bomb explodes, lie face down in the opposite direction, open your mouth, and cover your eyes and ears.

Evacuation method - Avoiding radiation and fallout, Inside a concrete building, deep underground. Use a raincoat or umbrella when moving

Precautions - Minimize body exposure to radiation - Avoid fallout as much as possible



Do not hoard daily necessities, donate

blood, and aid the injured.





Active citizen participation makes you safe

